



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



[illegible]

Details

[illegible][illegible]

□□□□□□□□

Smithers 620.5 ^[1] 2024

[illegible]

11

1. “ ”
- 2.
3. 30 g
- 4.
- 5.
- 6.
- 7.

“ ”

CFIA 3 [2]

- [illegible]

1999 US
 3 10%^[3]



樣品袋

1. 樣品袋

樣品袋應為無縫、無孔、無破損、無污染、無異味、無其他雜質。樣品袋應為 0.45 g/mL 厚度，長度 67 mm，寬度 30 mm，重量 0.65 g/mL，厚度 46 mm。樣品袋應為“無縫”樣品袋。

2. 樣品袋

樣品袋應為無縫、無孔、無破損、無污染、無異味、無其他雜質。樣品袋應為 0.45 g/mL 厚度，長度 67 mm，寬度 30 mm，重量 0.65 g/mL，厚度 46 mm。樣品袋應為“無縫”樣品袋。

3. 樣品袋

樣品袋應為無縫、無孔、無破損、無污染、無異味、無其他雜質。樣品袋應為 0.45 g/mL 厚度，長度 67 mm，寬度 30 mm，重量 0.65 g/mL，厚度 46 mm。樣品袋應為“無縫”樣品袋。

$$V_{max} \approx w^3 \times [l / (\pi \times w) - 0.142 \times (1 - 10^{(-l/w)})]$$

樣品袋應為無縫、無孔、無破損、無污染、無異味、無其他雜質。樣品袋應為 0.45 g/mL 厚度，長度 67 mm，寬度 30 mm，重量 0.65 g/mL，厚度 46 mm。樣品袋應為“無縫”樣品袋。

4. 樣品袋

樣品袋應為無縫、無孔、無破損、無污染、無異味、無其他雜質。樣品袋應為 0.45 g/mL 厚度，長度 67 mm，寬度 30 mm，重量 0.65 g/mL，厚度 46 mm。樣品袋應為“無縫”樣品袋。

樣品袋應為無縫、無孔、無破損、無污染、無異味、無其他雜質。樣品袋應為 0.45 g/mL 厚度，長度 67 mm，寬度 30 mm，重量 0.65 g/mL，厚度 46 mm。樣品袋應為“無縫”樣品袋。

■ FDA 於 2019 年 2025 年 前 將 其 有 效 率 ^[6] 提 升 至 54% 430 個 791 個 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗

■ 5 樣 本 中 有 一 個 樣 本

■ 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗 Bamps 於 2019 年 2025 年 前 將 其 有 效 率 提 升 至 16-79% CFIA 於 2025 年 前 將 其 有 效 率 提 升 至 54% 430 個 791 個 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗



■ 6 樣 本 中 有 一 個 樣 本

■ 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗 FDA 於 2025 年 前 將 其 有 效 率 提 升 至 400 個 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗 ^[7] 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗

■ 7 樣 本 中 有 一 個 樣 本

■ 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗 1 to 1.5 個 25-40 mm 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗

■ 8 樣 本 中 有 一 個 樣 本

■ 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗 [ASTM D3985](#) ^[8] 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗

■ 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗 [21 CFR §177.1520](#) ^[9] 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗 [\(EU\) No 10/2011](#) ^[10] 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗 10 mg dm² 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗 30 g 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗

■ 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗 樣 本 中 有 一 個 樣 本 未 能 通 過 檢 驗

30 g

- 1. 30 g 0.45 g/mL 67 mL
- 2. 80 mm
- 3. 115 mm $l/w = 1.44$ $V_{max} \approx 80^3 \times [0.458 - 0.137] \approx 164 \text{ mL}$ 67 mL 41% 40-60%
- 4. 2 8 mm $80 + 16 = 96 \text{ mm}$
- 5. 8 mm + 115 mm + 8 mm = 131 mm 30 mm 161 mm
- 6. $96 \times 131 \text{ mm}$ 0.025 m^2 “” 110 × 150 mm 0.033 m^2 31% OTR 31%

96 mm W × 131 mm L 8 mm



4. 02 ASTM F88 [dla.mil](https://www.dla.mil) ↗
 5. ASTM F88/F88M-23 1 2023 webstore.ansi.org ↗
 6. “AAPS Open” 15 2025 link.springer.com ↗
 7. FDA MAUDE MDR 8565229 accessdata.fda.gov ↗
 8. ASTM D3985 D3985-17 D3985-24 webstore.ansi.org ↗
 9. 21 CFR §177.1520 ecfr.gov ↗
 10. (EU) No 10/2011 12 eur-lex.europa.eu ↗
-