Zigpac

Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin Commercial and Residential Building, Longgang City, Wenzhou City, Zhejiang 325802, China

YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES

[illegible]

Details

[illegible] [illegible]

[illegible] [illegible] [illegible]“[illegible]”[illegible]“[illegible]”[illegible]

[illegible]“[illegible] cello [illegible]”[illegible]

[illegible] 2 [illegible] [illegible] [illegible]

[illegible]

- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]

[illegible]

[illegible] [illegible] [illegible][1][illegible]“[illegible]”[illegible] 50–90 g/m²[illegible]

[illegible] [illegible]“cello [illegible]”[illegible]

[illegible]“[illegible]”[illegible]

[illegible]

[illegible]

1. [illegible] [illegible]
2. [illegible] [illegible]
3. [illegible] [illegible]

[illegible] TAPPI/ANSI T 454 [illegible][2] [illegible] 1,800 [illegible]“[illegible]”[illegible] ISO 16532-3:2010[3][illegible]

[illegible]

[illegible]

[illegible]

[illegible]

- [illegible] “[illegible]”[illegible]
- [illegible]
- [illegible] “[illegible]”[illegible]

[illegible]“[illegible]”[illegible]

[illegible]

[illegible]

[illegible]“[illegible]”[illegible]“[illegible]”[illegible]

[illegible]“[illegible]”[illegible]

[illegible]

- [illegible]
- [illegible]
- [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

□□□□ □□□ □□□□□□□□□□□□□□“□□□”□□□□□□□□

□□□ □□“cello”□□□□□□□ □□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□ FTC□□□□□□[4] □□□□□□□□“□□□”□□□□□□□□□□□□□□ 60% □□□□□□□□□□□□□□□□ □□ 16 CFR § 260.7[5]□“□□□”□□□ 16 CFR § 260.8[6] □□□□□□ “□□□□□”□□□□□□□□□□□□ 1 □□□□□□□□□□□□□□□□□□□□□□□□□□□□“□□□□□□□□□□□□□□□□□□□□□”□

□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□ (EC) No 1935/2004[7] □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 21 CFR § 176.170[8] □□□□□□□□□□□□□□□□□□□□□□□ 0.5 mg/in²□□□□ 21 CFR § 176.180[9] □□□□□□□□□□□□□□□□□□ □□□□.

□□□□□□□□□□□□□□□□ FSC MIX □□[10] □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

□□	□□□□□	□□□□
□□	□□□□□□ 50–90 g/m²□□□□□□□□	□□□□□□□□□□□□□□□□
□□□	□□□□□□□□□□□□□	□□□□□□□□□□□□□
□□□	□□□□□□□□□□□□ TAPPI T 454 / ISO 16532-3 □□	□□□□□□□□□□□
□□□□□	□□□□□□□□□□□□□□□□□□□□	□□□□□□□□□□
□□□□□	□□□□□□□□□□□□□□□□□□□□	□□□□□□□□□
□□□□	□□□□□□□□□□□□□□□□□□□□□□	□□□□□□□□□□□□□□
□□□□□	□□□□□□□□“□□□”	□□□□□□□□□□□
□□□□	□□□□□□□□□□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□
□□□□□□	□□□□□□□□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□

1. □□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□□□□□ □□□
3. □□□□□□□ □□
4. □□□□□□□□□□□□ □□“□□□□”□□□
5. □□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□ □□□

□□□□

□□□□□□□□□□□□□□□□□□□□□□□□
□□□ □□□□□□□□□□□□□□□“□□□”□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□

□□□□□□□□□□□□□□□□□□

□□
□□

□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□

□□□

□□□□□“cello □”□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□“cello □”□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□

- □□□□□□□□□□□□□□ — □□□□□□□□□□□ 50–90 g/m² □□□□□□□□)
- □□□□□□□□□□□□□□ — TAPPI T 454 □ 1,800 □□□□□□□□□□□□□□□□)
- □□□□□**“□□□”**□□□□□□□□□ — □□□□□□□□□□□□□ 60% □□□□□□□□□□)
- **“□□□□□□”**□□□□□□ — □□□□□□□□□ 1 □□□□□□□□□)
- □□□□□□□□□□□ — □□□□□□□□□□□□□□□□□□□ 0.5 mg/in²□□□)

□□

□□□□□□□□□□□□□□□□□□□□“□□□”□□□ □□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□

1. □□□□□“□□□□”□□□□□□□□ 2026-10□□□□□ 50–90 g/m² □□□ ↩
2. TAPPI/ANSI T 454□□□□□□□□□□□□□□□□ □□□□□ om-25, 2025-10-01□□ ↩
3. ISO 16532-3:2010□□□□□——□□□□□——□ 3 □□□□□□ 2010-09-22□ ↩
4. □□□□□□□□□□□□□FTC□□□□□□□□□□□□□□, 2012-10-02. ↩
5. 16 CFR § 260.7□□□□□□□eCFR□ ↩
6. 16 CFR § 260.8□□□□□□□eCFR□ ↩
7. □□□□□□□□□□□□ (EC) No 1935/2004□□□□□ 2021-03-27□EUR-Lex□ ↩
8. 21 CFR § 176.170□□□□□□□□□□□□□□□□□□eCFR□□□ 21□□□ 2026-10-01 □□□□□□ ↩
9. 21 CFR § 176.180□□□□□□□□□□□□□□□eCFR□ ↩
10. FSC US□FSC □□□□□□□ ↩

10□ 21, 2026