



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



Product Image













A horizontal number line consisting of 20 empty rectangular boxes. To the right of the last box is a blue upward-pointing arrow.

- 00000000 000000000000000000000000
- 00000000 000000000000000000000000
- 0000000000 0000000000000000000000
- 00000000 000000000000000000000000
- 0000000000 0000000000000000000000



材料：シリコン樹脂、色粉、[↑](#)

シリコン樹脂は、100gのシリコン樹脂に、色粉を1g加えて混ぜる。色粉は、[\[3\]](#) 色粉を1g加えて混ぜる。

シリコン樹脂は、100gのシリコン樹脂に、色粉を1g加えて混ぜる。

1. シリコン樹脂は、100gのシリコン樹脂に、色粉を1g加えて混ぜる。
2. シリコン樹脂は、100gのシリコン樹脂に、色粉を1g加えて混ぜる。
3. シリコン樹脂は、100gのシリコン樹脂に、色粉を1g加えて混ぜる。
4. シリコン樹脂は、100gのシリコン樹脂に、色粉を1g加えて混ぜる。
5. シリコン樹脂は、100gのシリコン樹脂に、色粉を1g加えて混ぜる。

シリコン樹脂は、100gのシリコン樹脂に、色粉を1g加えて混ぜる。“シリコン”は、シリコン樹脂を指す。

シリコン樹脂は、100gのシリコン樹脂に、色粉を1g加えて混ぜる。



↑

“ ”

K&J



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible][illegible][illegible][illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible][illegible][illegible][illegible]

