Zigpac

Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin Commercial and Residential Building, Longgang City, Wenzhou City, Zhejiang 325802, China

YOUR CUSTOM

PRINTING & PACKAGING **PARTNER** FOR SMALL AND **MEDIUM BUSINESSES**

□□□□ **PU** □□□□□□□□□□□□□□□□□□□□□□□□

Product Image

NORTHRIDGE
OUTDOOR CO.
WILD HARBOR
SUPPLY
SILVERFOX
APPAREL
TERRAIN
EQUIPMENT
H
HERITAGE
GOODS
NORTHRIDGE
OUTDOOR CO.
TERRAIN
EQUIPMENT
NORTHRIDGE
WILD HARBOR
SILVERFOX
TERRAIN
H
HERITAGE

NORTHRIDGE
OUTDOOR CO.

SILVERFOX
APPAREL
NORTHRIDGE
OUTDOOR CO.
WILD HARBOR
SUPPLY
H
HERITAGE
GOODS
TERRAIN
EQUIPMENT
BUILT FOR
THE JOURNE

NORTHRIDGE
OUTDOOR CO.
WILD HARBOR
SUPPLY
SILVERFOX
APPAREL
TERRAIN
EQUIPMENT
H
HERITAGE
GOODS
NORTHRIDGE
OUTDOOR CO.
WILD HARBOR
SUPPLY
H
HERITAGE
GOODS
SILVERFOX
APPAREL
TERRAIN
EQUIPMENT

Details

□□□□□ **PU** □□

□□□□□□□□ PU □□□□□□□□□□ ↑

□□□□□□□□□□□□□□□□□□□□□□□□□□□Etsy □□□□□□□□□□□□□□□□□□□□□□□ Printing Studio □□□□[1] □□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□ PU □□□□□PU □□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□ ↑

□□

□□□□□□□□□□□□□□□ Chief Labels[4] □□□□□ PU □□□□□□□□□□□□□□□□□□□□□□"□□□□□□□□□□□□"□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□"□□□□□□□□□□□□□"□□□ Leeline Bags[7] □□□□□□□□□□□$20,000□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

"□□"□□"□□□□□□□□□□□□□"□□□□□□□

□□

- □□□□□□□□□ PU □□□□
- □□□□□□□□□□□□□
- □□□□□□□ PU □□□□□□
- □□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□□□□□
- □□□□□□□□
- □□□□□□□□□□□□□□□

□□□□ PU □□□□□□□□□□□□ ↑

□□"□□"□□□□□□□□□□□ Hoplok[8] □□□□"□□□□□□'□□'□□□□□□□□□"□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□"□□"□"□□"□□□□□□□□□□□□□□□□

□□□□□□□□□□□FTC□□□□□□□ 16 CFR Part 24[9]□□□□□□□□□□□□□□□□"□□"□□□ FTC □□"□□"□

□□	□□	□□□□□□□□□□	□□□□□□

□□	□□□□□□□	□□□□	□□□□□□□□□□□□□□□□□□□
PU □□□□□□□	□□□□□□□□□	□□□□□ 30°C / 86°F	□□□ PU □□□□□□□□□□□□□
□□□□	□□□□□□□□□□□	□□ 60°C / 140°F	□□□□□□
□□□□	□□□□□□□□	□□□□□	□□□□□□□□□□□□“□□”

□□□□□□□□□ Wunderlabel □□□□□[10]□□□□ PU □□□□ 30°C / 86°F□□□□□□□□□□ 60°C / 140°F□□“□□□”□□□ Decrum[11]□□□□□□□□□□□□□ 10–20% □□□□□□□□□□□□□□□□□□□□□□□□□□ Chief Labels □□□□□□□□□□□ AATCC □□□□□□□□ 50 □□

□□□□□□□□□□□□□□□□□□□□□□□ ↑

□□□

□ 1 □□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□ Curtidos Cabezas[12] □□□□ 0.8–1.2 mm□□ 60×15, 60×20□□□ 60×30 mm[13]□□□□□□□□□□□□ KMM & Co.[14] □□□□□□□□□□□ 27 □□□□□□□□ 16 □□□□□□□□□□□□□□X □□□□□□□□ X[15] □□□□□□□□□□□ 0.8 × 0.8 in□□□□□□□□□□□□□□□□□□□□□□□PU □□□

□ 2 □□□□□□□□□□□□□□□

□□□□	□□□□	□□□□	□□□□□□
□□□□	□□□□□□□□□□□□	□□□□□□□□□	□□□□□□□□□□□
□□□□	□□□□□□□□	□□□□□□	□□□□□□□□□□□
□□□	□□□□□□□□□□□□□	□□□□□□□	□□□□□□□□□□
□□	□□□□□□□□□	□□□□□□□□□	□□□□□□□
UV □□	□□□□□□□□	□□□□□	□□□□□□□□□□□

□□□□□□□□ Hoplok □□□□. Senior Printer[16] □□

□□ Acctrims[20] □□□□□□□□□□□□□□□□□□□□□□



□ 3 □□□□□□□□□

□□□□□□□□□□AI□EPS□PDF □ CDR□□□□ Acctrims □□□□□□□□□□□ 300 DPI □□

[illegible] 4 [illegible]

[illegible] Leather Crafts International[21] [illegible]“[illegible]”[illegible]“[illegible]”[illegible] logo [illegible] Kunshuo[22] [illegible] RFQ [illegible]

[illegible]	[illegible]	[illegible]
[illegible]	PU [illegible]	[illegible]
[illegible]	[illegible] × [illegible]mm[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible] °C[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible] Incoterm	[illegible]

[illegible]MOQ[illegible]“[illegible]”[illegible]

[illegible] 5 [illegible]

[illegible]

- [illegible]
- [illegible]
- [illegible] ISO 11640:2018[23] [illegible]
- [illegible] IUF 470 [illegible] ASTM D6182 [illegible] Leather Research Laboratory[24] [illegible]
- [illegible]

[illegible] Szoneier[25] [illegible]

[illegible] 6 [illegible]

[illegible]PO[illegible]“[illegible]”[illegible] CBP[28] [illegible]“[illegible]”[illegible]

[illegible] ↑

[illegible] logo[illegible] PU [illegible]

[illegible] Triplicate[33] [illegible] RN [illegible]

司名称标签。根据 16 CFR Part 423[34]，护理说明必须置于在产品使用寿命内保持清晰的永久性标签上。压纹标志标签不能替代该标签。出口欧盟的标签还面临进一步限制。自 10 年十月 2026 日起，服装配件中的皮革和纺织品，在均质材料中测得的 PFHxA 及其盐含量必须低于 25 ppb，根据 Textile School 的摘要[35]。因此，值得筛查 PU 上的含氟防泼水整理剂。

下一笔标签订单的要点 ↑

对于需要洗涤的服装，应选择 PU 而不是真皮。 — 一家供应商将 PU 评定为最高 30°C / 86°F，真皮不可洗涤（来源)
与皮肤接触时应明确厚度。 — 服装标签建议 0.8–1.2 mm（来源)
将染料迁移视为财务风险，而非外观问题。 — 一宗有记录的案例损失约 $20,000（来源)
装饰性标签不是护理标签。 — 16 CFR Part 423 要求使用永久、清晰的护理标签（来源)
出口欧盟的 PU 标签需进行含氟筛查。 — 自 2026 年十月 10 日起，PFHxA 限值为 25 ppb（来源)
为真正的样品预留时间。请在书面报价中确认打样时间表。

准备好说明你的标签项目了吗？ ↑

定制压凸 PU 标签的价值，在于它能在产品整个使用寿命中保持柔软、清晰且牢固附着。实现这一结果依靠填写完整的规格表、量产级样品以及依样检验；单价的重要性低于这些因素。对于本标签，最小起订量、交期、单价和耐洗性能只能通过报价和样品测试确认，绝不可预设。
请发送你的矢量标志和已完成的上述规格表，以申请报价和量产级样品。

[1]Printing Studio：列出编织者、Etsy 卖家和手作商贩的产品页面。 ↩
[4]Chief Labels：PU 贴片为何在生产中失效。 ↩
[7]Leeline Bags：皮革色牢度与染料迁移损失。 ↩
[8]Hoplok：压印、压凸、金属箔、UV 与激光的比较。 ↩
[9]16 CFR Part 24：FTC《皮革与仿皮革指南》。 ↩ [10]Wunderlabel：皮革、PU 和可水洗纸规格。 ↩ [11]Decrum：再生皮革与真皮的标签标示。 ↩
[12]Curtidos Cabezas：服装标签厚度指南。 ↩ [13]Wunderlabel Canada：标准皮革标签尺寸。 ↩
[14]KMM & Co.：不同标签款式的字符限制。 ↩
[15]X 帖文：制作者关于最小二维码尺寸的说明。 ↩
[16]Senior Printer：UV 印刷与压凸、金属箔的比较。 ↩ [20]Acctrims：文件格式与深色标签注意事项。 ↩
[21]Leather Crafts International：OEM 打样与确认流程。 ↩ [22]Kunshuo：皮革标签生产与检验步骤。 ↩

[23]ISO 11640:2018：皮革耐摩擦色牢度方法。 ↩ [24]Leather Research Laboratory：表面耐久性测试方法。 ↩ [25]Szoneier：皮革标签失效模式与测试。 ↩
[28]CBP：美国进口商品的原产国标识。 ↩
[33]Triplicate：美国纺织品标签与皮革贴片。 ↩
[34]16 CFR Part 423：FTC《护理标签规则》正文。 ↩ [35]Textile School：欧盟 PFHxA 限制摘要。 ↩

Product Option