



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



210D 600D rPET

Product Image













Details

Material: 210D 600D DTF GSM

Color: Customizable

MOQ: 1000

PU □ PVC □□ □□□ mm □□□ □□□□□□□□ □□□□□□□□□□□□□□□□

GSM 標準は、音声通信にのみ限られ、データ通信には GPRS (General Packet Radio Service) や EDGE (Enhanced Data Rates for GSM) などの技術が用いられる。PU (Public User) は、PVC (Public Voice Call) を利用して、音声通信を行うことができる。[5]

[illegible][illegible]

2 — Pantone

3 —



4 — 5 — 6 —

Material	Quantity	Material	Quantity
25-150 pcs	3-10	3	
100-300 pcs	15-25		
1,000+	40-55	20-30	

B2B 2026 MOQ 210D600D 3-5, 5-7 7-10 600D 5-7 600D 3

↑

ISO 2859-1 / ANSI/ASQ Z1.4 0 AQL 2.5 AQL 4.0 AQL 2.5 2.5% AQL

PO ISO 105-C06 AATCC 61 4 3 ISO 105-X12 AATCC 8 AATCC TM22 ASTM D5034

0.5



- 100% Recycled PO 100% Recycled
- 100% Recycled 100% Recycled 100% Recycled
- 100% Recycled 100% Recycled 100% Recycled
- 100% Recycled Pantone 100% Recycled
- 100% Recycled 100% Recycled



100% Recycled PO 100% Recycled 7-15 100% Recycled 100% Recycled 100% Recycled 100% Recycled Pantone 100% Recycled

[210D 600D 10 oz 4-6 oz 80 gsm](#)

Item	Color	Weight	Material	Notes
600D	Black	600D	600D	600D 600D 600D 600D
210D	Black	210D	210D	210D 210D 210D 210D
10 oz	Black	10 oz	10 oz	10 oz 10 oz 10 oz 10 oz
4-6 oz	Black	4-6 oz	4-6 oz	4-6 oz 4-6 oz 4-6 oz 4-6 oz
80 gsm	Black	80 gsm	80 gsm	80 gsm 80 gsm 80 gsm 80 gsm

210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm

[210D 600D 10 oz 4-6 oz 80 gsm](#)

[16 CFR 303.45](#)^[18] 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm

[FTC](#)^[19] 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm

2026 1 1 210D 600D 10 oz 4-6 oz 80 gsm \$0.10 [CalRecycle](#)^[21] 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm

210D 600D 10 oz 4-6 oz 80 gsm 27 9 2026 210D 600D 10 oz 4-6 oz 80 gsm EmpCo [22](#) 10 10 2026 210D 600D 10 oz 4-6 oz 80 gsm PFHxA 25 ppb PFAS [23](#) 2026 1 Prop 65 210D 600D 10 oz 4-6 oz 80 gsm DEHP [Prop 65](#)^[24] 210D 600D 10 oz 4-6 oz 80 gsm PVC 12 210D 600D 10 oz 4-6 oz 80 gsm CPSIA 210D 600D 10 oz 4-6 oz 80 gsm

[210D 600D 10 oz 4-6 oz 80 gsm](#)

- 210D 600D 10 oz 4-6 oz 80 gsm — \$27.1 210D 600D 10 oz 4-6 oz 80 gsm 1.3%^[25]
- 210D 600D 10 oz 4-6 oz 80 gsm — \$3.69 210D 600D 10 oz 4-6 oz 80 gsm 2024 210D 600D 10 oz 4-6 oz 80 gsm 13.8%^[26]
- 210D 600D 10 oz 4-6 oz 80 gsm — 9.7 210D 600D 10 oz 4-6 oz 80 gsm 2025, 97% 210D 600D 10 oz 4-6 oz 80 gsm 97% 210D 600D 10 oz 4-6 oz 80 gsm
- 210D 600D 10 oz 4-6 oz 80 gsm — 210D 600D 10 oz 4-6 oz 80 gsm \$0.10 2026 1 1 210D 600D 10 oz 4-6 oz 80 gsm
- “210D 600D 10 oz 4-6 oz 80 gsm” 210D 600D 10 oz 4-6 oz 80 gsm — 27 9 2026 210D 600D 10 oz 4-6 oz 80 gsm
- 210D 600D 10 oz 4-6 oz 80 gsm **PO** 210D 600D 10 oz 4-6 oz 80 gsm **AQL** 210D 600D 10 oz 4-6 oz 80 gsm — II 210D 600D 10 oz 4-6 oz 80 gsm 0 210D 600D 10 oz 4-6 oz 80 gsm 2.5 210D 600D 10 oz 4-6 oz 80 gsm 4.0 210D 600D 10 oz 4-6 oz 80 gsm

[210D 600D 10 oz 4-6 oz 80 gsm](#)

210D 600D 10 oz 4-6 oz 80 gsm GSM 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm PO 210D 600D 10 oz 4-6 oz 80 gsm AQL 210D 600D 10 oz 4-6 oz 80 gsm

[210D 600D 10 oz 4-6 oz 80 gsm](#)

[3] 210D 600D 10 oz 4-6 oz 80 gsm [↩](#)

[4] 210D 600D 10 oz 4-6 oz 80 gsm GSM 210D 600D 10 oz 4-6 oz 80 gsm 210D 600D 10 oz 4-6 oz 80 gsm [↩](#)

[5] 210D 600D 10 oz 4-6 oz 80 gsm [↩](#)

